

Liste des références

- Barlow, K. M., Kirk, V., Brooks, B., Esser, M. J., Yeates, K. O., Zemek, R., Kirton, A., Mikrogianakis, A., MacMaster, F., Nettel-Aguirre, A., Hutchinson, J., Turley, B., Cameron, C., Hill, M., Boyd, R. & Dewey, D. (2021). Efficacy of Melatonin for sleep disturbance in children with persistent post-concussion symptoms: Secondary analysis of a randomized controlled trial. *Journal of Neurotrauma*, 38(8), 950-959. <https://doi.org/10.1089/neu.2020.7154>
- Bloom, G. A., Trbovich, A. M., Caron, J. G., & Kontos, A. P. (2020). Psychological aspects of sport-related concussion: An evidence-based position paper. *Journal of Applied Sport Psychology*, 1-23. <https://doi.org/10.1080/10413200.2020.1843200>
- Caron, J. G., Benson, A. J., Steins, R., McKenzie, L., & Bruner, M. W. (2021). The social dynamics involved in recovery and return to sport following a sport-related concussion: A study of three athlete-teammate-coach triads. *Psychology of Sport and Exercise*, 52. <https://doi.org/10.1016/j.psychsport.2020.101824>
- Cairncross, M., Yeates, K. O., Tang, K., Madigan, S., Beauchamp, M. H., Craig, W., ... & Silverberg, N. D. (2022). Early postinjury screen time and concussion recovery. *Pediatrics*, 150(5). <https://doi.org/10.1542/peds.2022-056835>
- Chisholm, D. A., Black, A. M., Palacios-Derflingher, L., Eliason, P. H., Schneider, K. J., Emery, C. A., & Hagel, B. E. (2020). Mouthguard use in youth ice hockey and the risk of concussion: Nested case-control study of 315 cases. *British Journal of Sports Medicine*, 54(14), 866-870. <http://dx.doi.org/10.1136/bjsports-2019-101011>
- Churchill, N. W., Hutchison, M. G., Graham, S. J., & Schweizer, T. A. (2020). Brain function associated with reaction time after sport-related concussion. *Brain Imaging and Behavior*, 1-10. <https://doi.org/10.1007/s11682-020-00349-9>
- Emery, C. A., & Smirl, J. (2021). Early targeted heart rate aerobic exercise for sport-related concussion. *The Lancet Child & Adolescent Health*, 5(11), 769-771. [https://doi.org/10.1016/S2352-4642\(21\)00304-7](https://doi.org/10.1016/S2352-4642(21)00304-7)
- Emery, C.A., Eliason, P., Warriyar, V., Palacios-Derflingher, L., Black, A.M., Krolikowski, M., Spencer, N., Sick, S., Kozak, S., Schneider, K.J., & Babul, S. (2022). Body checking in non-elite adolescent ice hockey leagues: It is never too late for policy change aiming to protect the health of adolescents. *British Journal of Sports Medicine*. 56, 12-23. <https://doi.org/10.1136/bjsports-2020-103757>
- Ellis, M., Krisko, C., Selci, E., & Russell, K. (2018). Effect of concussion history on symptom burden and recovery following pediatric sports-related concussion. *Journal of Neurosurgery-Pediatrics*, 21(4), 401-408. <https://doi.org/10.3171/2017.9.PEDS17392>
- Greenspoon, D., Gauvin-Lepage, J., Gagnon, I., Reed, N., & Scratch, S. (2020). Mood-related changes in children and adolescents with persistent concussion symptoms following a six-week active rehabilitation program. *Brain Injury*, 34(8), 1068-1073. <https://doi.org/10.1080/02699052.2020.1776396>

- Kissick, J., & Webborn, N. (2018). Concussion in Para sport. *Physical Medicine and Rehabilitation Clinics of North America*. 29(2), 299-311. <https://doi.org/10.1016/j.pmr.2018.01.002>
- Leddy, J.J., Master, C.L., Mannix, R., Wiebe, D. J., Grady, M. F., Meehan, W.P., Storey, E.P., Vernau, B.T., Brown, N.J., Hunt, D., Mohammed, F., Mallon, A., Rownd, K., Arbogast, K.B., Cunningham, A., Haider, M.N., Mayer, A.R. & Willer, B. S. (2021). Early targeted heart rate aerobic exercise versus placebo stretching for sport-related concussion in adolescents: A Last updated: December 2021 randomised controlled trial. *The Lancet Child & Adolescent Health*, 5(11), 792-799. [https://doi.org/10.1016/S2352-4642\(21\)00267-4](https://doi.org/10.1016/S2352-4642(21)00267-4)
- Ledoux, A. A., Barrowman, N., Bijelić, V., Borghese, M. M., Davis, A., Reid, S., Sangha, G., Yeates, K.O., Tremblay, M.S., McGahern C., Belanger, K., Barnes, J.D., Farion, K.J., DeMatteo, C.A., Reed, N., & Zemek, R. (2021). Is early activity resumption after paediatric concussion safe and does it reduce symptom burden at 2 weeks post injury? The Pediatric Concussion Assessment of Rest and Exertion (PedCARE) multicentre randomised clinical trial. *British Journal of Sports Medicine*. 56, 271-278. <http://dx.doi.org/10.1136/bjsports-2021-105030>
- Ledoux, A., Webster, R.J., Clarke, A.E.,... & Zemek, R. (2022). Risk of mental health problems in children and youths following concussion. *JAMA Network Open*. 5(3). <https://doi.org/10.1001/jamanetworkopen.2022.1235>
- Mollayeva, T., El-Khechen-Richandi, G., & Colantonio, A. (2018). Sex & gender considerations in concussion research. *Concussion*, 3(1). <https://doi.org/10.2217/cnc-2017-0015>
- Olson, A., Ellis, M. J., Selci, E., & Russell, K. (2020). Delayed symptom onset following pediatric sport-related concussion. *Frontiers in Neurology*, 11, 220. <https://doi.org/10.3389/fneur.2020.00220>
- Pennock, K.F., McKenzie, B., Steacy, L.M., & Mainwaring, L. (2020). Under-reporting of sport related concussions by adolescent athletes: A systematic review. *International Review of Sport and Exercise Psychology*, 1-27. <https://doi.org/10.1080/1750984X.2020.1824243>
- Pratile, T., Marshall, C., & DeMatteo, C. (2021). Examining how time from sport-related concussion to initial assessment predicts return-to-play clearance. *The Physician and Sports Medicine*, 1-9. <https://doi.org/10.1080/00913847.2021.1879603>
- Schneider, K.J., Emery, C.A., Black, A., Yeates, K.O., Debert, C.T., Lun, V., & Meeuwisse, W.H. (2019). Adapting the dynamic, recursive model of sport injury to concussion: An individualized approach to concussion prevention, detection, assessment, and treatment. *The Journal of Orthopaedic and Sports Physical Therapy*, 49(11), 799–810. <https://doi.org/10.2519/jospt.2019.8926>
- Shill, I. J., West, S. W., Sick, S., Schneider, K., Hagel, B. E., Pasanen, K., Wiley, J. P., Emery, C. A., & Black, A. M. (2021). Injuries and concussions in female high school rugby: Prevention is worth a try. *Clinical Journal of Sport Medicine*. 32(5), 508-516. <https://doi.org/10.1097/JSM.0000000000000993>

- Toong, T., Wilson, K. E., Hunt, A. W., Scratch, S., DeMatteo, C., & Reed, N. (2021). Sensitivity and specificity of a multimodal approach for concussion assessment in youth athletes. *Journal of Sport Rehabilitation*, 1, 1-10. <https://doi.org/10.1123/jsr.2020-0279>
- van Ierssel, J., Ledoux, A. A., Tang, K., & Zemek, R. (2021). Sex-based differences in symptoms with mouthguard use following pediatric sport-related concussion. *Journal of Athletic Training*. 56(11), 1188-196. <https://doi.org/10.4085/1062-6050-0393.20>
- van Ierssel, J., Osmond, M., Hamid, J., Sampson, M., & Zemek, R. (2021). What is the risk of recurrent concussion in children and adolescents aged 5–18 years? A systematic review and meta-analysis. *British Journal of Sports Medicine*, 55(12), 663-669. <http://dx.doi.org/10.1136/bjsports-2020-102967>
- van Ierssel, J., Pennock, K. F., Sampson, M., Zemek, R., & Caron, J. G. (2022). Which psychosocial factors are associated with return to sport following concussion? A systematic review. *Journal of Sport and Health Science*. 11, 438-439. <https://doi.org/10.1016/j.jshs.2022.01.001>
- Vaughan, C. G., Ledoux, A. A., Sady, M. D., Tang, K., Yeates, K. O., Sangha, G., ... & Groot, A. (2023). Association Between Early Return to School Following Acute Concussion and Symptom Burden at 2 Weeks Postinjury. *JAMA Network Open*, 6(1). <https://doi.org/10.1001/jamanetworkopen.2022.51839>